

SAFETY DATA SHEET (EC) regulation n°1907/2006 annex II modified

FUMISPORE®OPP

Date issued : 03/03/2015

Date of last revision :

27/10/2015

SECTION 1 : IDENTIFICATION OF MIXTURE AND OF THE COMPANY

1.1 Product identifier

FUMISPORE® OPP

Identified uses :	Aerial disinfection of surfaces in empty premises.
Uses advised against :	Treat away from humans and animals Treat without food/feed present.
1.3 Details of the supplier of the safety data she	et
Manufacturer :	LCB P.A.E ACTIPARC Rue des acacias 01190 BOZ FRANCE Tel. +33 (0)3.85.36.81.00 Fax +33 (0)3.85.36.01.28
SDS Information :	fds@lcbfoodsafety.com
1.4 Emergency telephone number	ORFILA (INRS) : +33 (0)1.45.42.59.59 Base Nationale des Produits et Compositions : +33 (0)3.83.32.36.36 (24h/24h)

SECTION 2 : HAZARD IDENTIFICATION

2.1 Classification of the mixture

According the regulation (EC) n°1272/2008	:	Oxidising solids 3 H272 Eye irritant 2 H319 Skin iriritant 2 H315 STOT SE 3 H335 Aqua chronic cat. 2 H411
2.2 Label elements		
Hazard pictogram(s)	:	
Signal word	:	WARNING
Hazard statement(s)	:	H272 May intensify fire; oxidiser. H315 Causes skin irritation. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H411 Toxic to aquatic life with long lasting effects
Precautionary statement(s) - Prevention	:	P260 Do not breathe fume P220 Keep away from combustible materials P273 Avoid release to the environment P280 Wear protective gloves/eye protection/face protection
Precautionary statement(s) - Intervention	:	 P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+ 313 If eye irritation persists: Get medical advice/attention. P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312 Call a POISON CENTER or a doctor if you feel unwell. P302+352 IF ON SKIN: Gently wash with plenty of soap and water
		P501 Dispose of contents/container to hazardous or special waste collection point in accordance with the national legislation.
2.3 Others hazards		Release of nitrogen oxide, nitrogen dioxide, carbon monoxide, ammonia and Hydrogen cyanide , during the smoke-generating reaction. In the presence of green plants, risk of phytotoxicity. This mixture does not contains any substance responding to criteria for classification as PBT or vPvB in accordance with Annex XIII of Regulation (EC) No 1907/2206. This mixture does not contains any substance included in the candidate list to annex XIV of (EC) regulation n°1907/2006.



SAFETY DATA SHEET (EC) regulation n°1907/2006 annex II modified

Date issued : 03/03/2015

Date of last revision :

27/10/2015

FUMISPORE®OPP

SECTION 3 : COMPOSITION/ INFORMATION ON INGREDIENTS

3.1 Substance: not concerned

3.2 Mixture

Description of the mixture: biocidal Powder

substances	%	registration Nr Reg. EC 1907/2006	INDEX Nr	EC Nr	CAS Nr	Classification Reg.(EC)1272/2008
Ammonium nitrate	>20	01-2119490981-27	-	229-347-8	6484-52-2	eye irr. 2 H319 ox. solid 3 H272
2-phenylphenol	10-20	01-2119511183-53	604-020-00-6	201-993-5	90-43-7	skin irrit. 2 H315 Eye irrit . 2 H 319 STOT SE 3 H335 aquatic acute 1 H400 aguatic chronic H410

SECTION 4 : FIRST AID MEASURES

4.1 Description of first aid measure

Immediate treatment	:	If the person is unconscious, have a first-aid provider place the individual in a safe lateral position and monitor breathing
In case of inhalation of fumes	:	Wear IPE require paragraph 8 and remove the person from the smoke fumes and have him/her breath fresh air. In case of persistent respiratory track irritation, contact a physician or emergency medical technicians, who will decide what to do.
In case of skin contact	÷	Wash the skin with water; remove the dirty clothing and wash it
In case of contact with eyes	:	Wash with an eye wash or else with drinking water; if an eye irritation, pain or trouble appear and persist for more than an hour, consult an ophthalmologist
In case of ingestion	:	Do not have the patient drink, eat or vomit and contact a physician or emergency medical technicians, who will decide what to do.
In case of burning	:	In case of superficial burns (blotches), cool off the wound by indirectly running cold water on it for 15 minutes
4.2 Most important symptoms and effects, I	both a	cute and delayed
Symptoms and acute effects		
By inhalation with smoke	:	In case of extended exposure and/or a large overdosing : irritation of respiratory mucous membrane, coughing, respiratory difficulties under stress, tachycardia ; vomiting ; dizziness
By inhalation with powder	:	Coughing and respiratory difficulties.
By eye contact	:	with smoke Irritation of the ocular mucous membranes, watering, and even conjunctiva with powder: Slight temporary irritation, watering
by massive ingestion of powder	:	Irritation of the buccal mucous membrane, digestive tube, vomiting, diarrhea, abdominal pain, digestive troubles
By skin contact with powder	:	Emaciation and itching
Symptoms and delayed effects	:	Extended chronic exposure may lead to emphysema.
4.3 Indication of any immediate medical att	entior	and special treatment needed
Immediate treatment	:	symptomatic treatment
Contraindications	:	not available
Antidotes	:	not available

On-site equipment

Eye wash and portative shower

·



FUMISPORE®OPP

Date of last revision :

27/10/2015

SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media :	:	Water (with recommended retention of fire extinguishing water) ABC multi-purpose powder
Unsuitable extinguishing media :	:	Emulsifying foams or organic stabilizers, sand
5.2 Special hazards arising from the mixture		The smoke-generating reaction is exothermic Powder may stoke up combustion in a fire
5.4 Advice for fire-fighter		In case containers are extinguished or cooled with water, avoid discharging the water into the environment. Self-contained breathing equipment

SECTION 6 : ACCIDENTAL RELEASE MEASURES

6.1 Personal precaution, protective equipment and emergency procedures

Precautions	:	In case of important release: Take away the staff not equipped with individual equipment of protection Aerate or ventilate to avoid dust formation Remove sources of ignition, sparks and any hot spot
Equipment	:	Wear gloves and an anti-dust mask or a nose/mouth half mask equipped with a P type filter (dust) Wear protective clothes.
6.2 Environmental precautions		Avoid spilling the product on the ground or pouring it in a stream or in a sink or in a sewer
6.3 Methods and material for containment and	d clea	aning up
Containment techniques	:	none
Clean-up procedures	:	Collect the product by sucking up and then eliminating it in compliance with the regulations in force.
Never use	:	none
6.3 Reference to other section		Information about handling: see section 7 Information about Individual Protective Equipment: see section 8 Information about waste: see section 13

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Prevention of fire :	Do not use the product directly to carpeting or linoleum, or in the immediate vicinity of cloth, curtains or other; keep any readily inflammable or combustible material outside a radius of 1.50 m from the product. Do not use in extremely dusty rooms (opaque dust cloud) or in the presence of inflammable vapour. In livestock rooms, keep the straw outside a radius of 1.50 m from the product; place the doses in a secure stainless steel container. If the room to be treated is in an EXAT- explosive atmosphere- zone, evaluate the reality of the room's EXAT character and, if necessary, temporarily suspend the EXAT character of the room by appropriate measure(s) during the usage time of the product Leave the room before the smoke spreads
Safe handling :	 Place the doses on a heat and fire resistant support (earthenware) Close all the room's exits after starting of the treatment. Indicate at the accesses to the room that it is currently being treated and prohibit access. Do not enter the room while the treatment is being applied. If it is absolutely necessary to enter the room during the treatment, the full individual protection equipment is required (see §8) If smoke is visible from the outside, inform the neighbours to avoid frightening them with the sight of the smoke. If necessary, particularly in a sensitive industrial or urban area, inform the fire department about the date and time of the treatment. Make sure that the doses used are cold before disposing of them.



SAFETY DATA SHEET

(EC) regulation n°1907/2006 annex II modified

Date of last revision :

FUMISPORE®OPP

27/10/2015

Hygiene measures

Don't drink, eat or fume during utilisation : Wash your hand after use Don't eat with work clothes

7.2 Conditions for safe storage, including any incompatibilities

Storage measure :	Store in correctly ventilated and temperate rooms maintained at ambient temperature (optimum 15°C - 25°C) and protected from humidity and away from any ignition source. If possible, store in an area fitted with a collection tank for fire extinguishing water.
Incompatibilities	Store away from food and feedstuffs in the original packaging kept closed. Store away inflammable products
7.3 Specific end use(s):	none

SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Workplace exposure limits in the powder: none

Workplace exposure limit in fumes :

		Amm CAS n°7	nonia 664-41-7	carbon monoxide CAS n°630-08-0		nitrogen monoxide CAS n° 10102-43-9		nitrogen dioxide CAS N°10102-44-0		Hydrogen cyanide CAS n° 74-90-8	
	WEL	mg/m³	ppm	mg/m ³	ppm	mg/m ³	ppm	mg/m³	ppm	mg/m ³	ppm
France	8 hrs	7	10	55	50	30	25	-	-	2	2
France	15 min	14	20	-	-	-	-	6	3	10	10
UE	8 hrs	14	20	23	-	-	-	-	0.2	-	-
UE	15 min	36	50	117	-	-	-	-	-	-	-
USA-OSHA	8 hrs	35	50	50	55	30	25	-	-	11	10
034-038	15 min	-	-	-	-	-	-	9	5	-	-

Biological exposure indicators

None

Recommended monitoring procedures

:

Control of the work areas atmosphere after treatment: After aeration/ventilation, the atmosphere of the rooms returns to normal In the case of confined rooms which cannot be sufficiently aired, control ammonia concentration.

DNEL	: Ammonium Nitrate CAS n°6484-52-2	Workers : DNEL(long-term / oral): Not available DNEL(long-term / dermal) : 21.3 mg/kg/day DNEL(long-term / inhalation): 37.6 mg/m ³ Generale population: DNEL(long-term / oral) : 12.8 mg/kg/day DNEL(long-term / dermal) : 12.8 mg/kg/day DNEL(long-term / inhalation): 11.1 mg/m ³
		Consommer : DNEL(long term / oral/systemic) : 0.75 mg/kg/day DNEL(short/term / dermal/local) : 28.85 mg/kg bw/day DNEL(short-term / inhalation/systemic): 2.3 mg/m ³ DNEL(long-term / inhalation/systemic): 2.6 mg/m ³
8.2 Exposure controls		
Appropriate engineering controls	:	Indicate the treatment in progress at each entrance Prohibit access to the premises during treatment At the end of the application period, mechanically ventilate the work areas for a minimum of 1 hour in order to replenish the ambient air to 90%
Eyes/face protection	:	Wear protective glasses in case of dust (for example after a spreading) (standard EN 166)
Skin protection	:	If it is absolutely necessary to enter the room during the treatment, wear skin protection clothes
Hand protection	:	If the powder has to be touched directly with hands, wear unpierced PVC gloves (Usage limit: occasional contact; after utilization, discard dirty gloves without rinsing them off).

		-	FETY DATA SHEET ation n°1907/2006 annex II modified	Date issued : 03/03/2015			
LCB food safety		FU	MISPORE®OPP	Date of last revision : 27/10/2015			
The Vital Link Respiratory protection			No individual protection equipment is required to apply the product under normal conditions. If it is absolutely necessary to enter the room during the treatment, wear a face mask equipped with an ABEK (class 2) + P (class 3) type filter. Stay in the room only for a very short time (1 minute maximum). In case there is a risk of inhaling the powder, for example, after an accidental spreading, wear an anti-dust mask or a half mask equipped with a P type class 2 "dust" filter (filter usage limit : breakdown time ; consult the filter supplier ; see also the standard EN 141)				
Thermal hazard		:	To remove doses after utilization, wear thermal gloves.				
Environmental expo	sure controls	:	none				

SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

.,	•	•
Appearance	:	Fine and fluid powder (floury aspect)
Color	:	White slightly iridescent
Odour	:	Irritating odour
Odour threshold	:	Not available
pH à 1% (in water)	:	6.3
Melting point/freezing point	:	Non applicable
Boiling point	:	Non applicable
Flash point	:	Non applicable
Evaporation rate	:	Non applicable
Flammability	:	Non inflammable (ONU N.1)
Upper explosive limits Lower explosive limits	:	Not available
Vapour pressure	:	Not available
Bulk density	:	Pour bulk density : 0.79 g/mL Tap bulk density : 0.61 g/mL
Solubility	:	In water : Partial (water-soluble components) In other solvents : Not available
Partition Coefficient n-octanol/eau	:	2-phenylphenol : 3
Auto-ignition temperature	:	246°C (CEE A16)
Decomposition temperature	:	Not available
Viscosity	:	Non applicable
Explosive properties	:	Non explosive (ONU serial 2)
Oxidising properties	:	Oxidising (ONU O.1)
9.2 Others information		
Class of dust explosion	:	St1

SECTION 10 : STABILITY AND REACTIVITY

10.1 Reactivity

No risk of dangerous reactivity of the product in its original packaging and in normal storage conditions and handling. The principle of the implementation of the product is based on an exothermic reaction



10.2 Chemical stability	Product stable under normal handling and storage conditions
10.3 Possibility of hazardous reaction	No known hazardous reactions known under normal handling and storage conditions
10.4 Conditions to avoid	Product stable under normal handling and storage conditions.
10.5 Incompatible materials	No known incompatible materials with the powder During treatment: in rare cases, in presence of moisture or in interaction with other chemicals, 2-phenylphenol may cause a yellow or pink coloration on the surfaces, especially on polymer materials.
10.6 Hazardous decomposition products	Release of nitrogen oxide, nitrogen dioxide, carbon monoxide, ammonia and hydrocyanic acid, during the smoke-generating reaction.

SECTION 11 : TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects		
Acute toxicity	:	No experimental data available on the mixture
2-phenylphenol	:	LD_{50} (oral) rat : 2980 mg/kg LD_{50} (cutaneous) rat: >5000 mg/kg LC_0 (inhalation vapor) rat : >36 mg/m ³ /4h
Ammonium nitrate	:	$DL_{50}~(oral)~rat$: 2950mg/kg $DL_{50}~(cut)~rat$: >5000 mg/kg $CL_{50}~(inhalation)~rat$: > 88.8 mg/l
Irritation	:	Irritant for eyes and skin
Corrosivity	:	The product is not corrosive
Sensitisation	:	The product does not include any sensitizing ingredient
Repeates dose toxicity	:	No experimental data available In case of chronic exposure to the smoke, emphysema may appear
Carcinogenicity	:	The product does not include any carcinogen- ingredient known
Mutagenicity	:	The product does not include any mutagen- ingredient known
reproductive toxicity	:	The product does not include any ingredient toxic for reproduction known



FUMISPORE®OPP

SECTION 12 : ECOLOGICAL INFORMATION

12.1 Toxicity		No experimental data availa	able.
2-phenylphenol	:	CL_0 (fish) : CE_{50} (algae) : CE_{50} (daphnia magna) : NOEC :	4 mg/l (96 hours) 1.35 mg/l (72 hours)
Ammonium nitrate	:	CL_{50} poisson/48h : CE ₅₀ Daphnia magna: CE ₅₀ Algae :	74-102 mg/l 555 mg/l 83 mg/l
12.2 Persistence and degradability			
2-phenylphenol	:	Biodegradability: > 75% (cl	osed bottle method)/28 days
12.3 Bioaccumulative Potential			
2-phenylphenol	:	LogPow : 3 BCF : 22	
12.4 Mobility in soil		not available	
12.5 Results of PBT and vPvB assessment		not available	
12.6 Other adverse effects		not available	

SECTION 13 : DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Unused product	:	The powder is classified as hazardous waste. Dispose in accordance with national regulations or Community legislation, by a certified company
Packaging/combustion residues	:	The combustion residues are not classified as hazardous waste classification. Packaging may be eliminate as non-hazardous waste.
Particular precautions	:	None
EC regulatory provisions	:	European commission Decision 2000/532/EC of 03 May 2000 establishing a list of wastes

SECTION 14 : TRANSPORT INFORMATION

ADR/RID/IMDG

14.1. UN number	UN 1479
14.2. UN proper shipping name	Oxidizing solid n.o.s (ammonium nitrate)
14.3. Transport hazard class(es)	5.1
14.4. Packing group	Ш
14.5. Environmental hazards	Dangerous for environment
IMDG Marine pollutant :	No
14.6. Special precautions for user	Not concerned
IMDG security :	F-A, S-Q

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code : Not concerned



FUMISPORE[®]OPP

15.1 Safety, health and environmental regulations/legislation specific for the mixture European regulatory

Biocidal product according council directive 98/8/CE

SECTION 15 : REGULATORY INFORMATION

Council Directive 98/24/EC of 7 April 1998 on the protection of the health and safety of workers from the risks related to chemical agents at work. Council Directive 89/391/EEC of 12 June 1989 on the introduction of measures to encourage improvements in the safety and health of workers at work

Regulation (EC) No 396/2005 modified by Regulation (EC) No 304/2010 of 9 April 2010 including 2-phenylphenol to annex II from 01 January 2011.

Regulation (EC) n°2037/2000 on substances that deplete the ozone layer) Regulation (EC) n°850/2004 on persistent organic pollutants Directive 96/82/CEE (SEVESO II)	: not concerned : not concerned : not concerned					
Restriction						
Regulation (EC) n°1907/2006 (REACH) :						
 Authorisation (title VII regulation (EC) n°1907/2006) 	: not concerned					
 Restriction (title VIII regulation (EC) n°1907/2006) 	: ammonium nitrate (n°58)					
Regulation (EC) n°689/2008 concerning the export and import of dangerous chemicals	: not concerned					

15.2 Chemical safety assessment

: not available	

SECTION 16 : OTHER INFORMATION

Last revision	:	1 st version
Legend to abbreviations and acronyms	:	LD: Lethal dose CL: Lethal concentration CE: Efficacy concentration PNEC: Predicted No Effect Concentration DNEL: derived no-effect level PBT: Persistent Bioaccumulative Toxic vPvB: very Persistent and very bioaccumulative
Literature reference	:	Physicochemical trials and the exposure risk study conducted on the product Safety data sheets on the ingredients INRS material safety data sheet and INRS documentary notes
R phrases and H phrases describe in section 3	:	H272:May intensify fire; oxidizerH315:Causes skin irritation.H319:Causes serious eye irritationH335:May cause respiratory irritation.H400:Very toxic to aquatic life.
Advice on training appropriate for workers	:	Safety training for biocidal chemical products

"IMPORTANT: This safety data sheet is additional to the technical operating instructions but does not replace them. All the information and recommendations are given in good faith and accurately represent the current state of knowledge. Users are responsible for verifying and validating beforehand the use of the product under the required conditions and for reporting any observations. Users are further alerted to the potential risks incurred if a product is used for purposes other than those for which it is intended. This sheet does not in any way exempt the user from knowing and applying all the texts regulating his activity. He will be solely responsible for taking the necessary precautions when using the product. The statutory regulations mentioned are simply intended to assist the user in fulfilling his obligations with regard to the use of a dangerous product. This list must not be regarded as exhaustive. It does not exempt the user from ensuring that he is not subject to other obligations because of texts not mentioned, which govern storage and use of the product for which he solely is responsible."